



Rigging scheme and tables



Length of the lines

Optic-22

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	br
1	1950	1936	634	754	1582
2	1917	1902	628	743	1318
3	2326	2296	604	717	1189
4	2238	2212	563	664	1241
5	2269	2249	503	587	1162
6	1684	1616	1624	272	1234
7	845	794	661		656
8	821	776	636		564
9	970	925	982		547
10	849	858	201		547
11					448
12					464

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	br
1	6340	6240	6342	6473	7204
2	6307	6206	6310	6435	6940
3	6301	6204	6304	6427	6811
4	6212	6120	6215	6326	6691
5	6244	6158	6250	6344	6612
6	6103	6048	6123	5752	6685
7	5959	5918	5985		6499
8	5939	5905	5966		6408
9	5760	5715	5771		6345
10	5638	5648	5680		6345
11					6335
12					6351

	A	B	C	D	BR
1	715	711	1179		1221
2			1153		1049
3			1715		1371
4			1667		1325
5			1761		1415
6			846		
7			700		

Technora A 8000U-050 70mm loops:

Technora A 8000U-050:

Technora A 8000U-090:

Technora A 8000U-120:

Technora 7343-280-011:

Technora 7343-280-018:

	A	B	C	D	BR
I	4415	4329	4579		1911
II	4003	3936	4036		1982
III	4449	4462	4528		
IV		4820			

brmain 2530

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Optic-24

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	br
1	2036	2021	649	786	1652
2	2003	1988	642	775	1377
3	2429	2397	618	747	1243
4	2337	2310	575	692	1295
5	2371	2350	514	612	1213
6	1759	1688	1696	284	1290
7	883	829	690		685
8	857	811	665		590
9	1013	966	1025		571
10	887	896	209		572
11					468
12					485

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	br
1	6645	6535	6650	6795	7568
2	6612	6502	6617	6758	7292
3	6611	6505	6613	6751	7158
4	6519	6418	6521	6646	7034
5	6552	6458	6558	6664	6952
6	6403	6351	6423	6039	7029
7	6258	6216	6291		6835
8	6238	6203	6265		6740
9	6050	6003	6062		6675
10	5923	5933	5964		6676
11					6666
12					6683

	A	B	C	D	BR
1	747	743	1244		1274
2			1218		1097
3			1802		1431
4			1752		1385
5			1850		1479
6			884		
7			731		

Technora A 8000U-050 70mm loops:

Technora A 8000U-050:

Technora A 8000U-090:

Technora A 8000U-120:

Technora 7343-280-011:

Technora 7343-280-018:

	A	B	C	D	BR
I	4634	4540	4802		1994
II	4206	4136	4239		2072
III	4668	4688	4751		
IV		5061			

brmain 2680

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Optic-26

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	br
1	2118	2103	675	818	1719
2	2086	2070	668	806	1433
3	2528	2494	643	778	1294
4	2433	2405	599	720	1348
5	2468	2447	535	637	1263
6	1831	1756	1766	296	1343
7	919	863	719		713
8	892	844	692		614
9	1055	1006	1067		594
10	923	933	218		596
11					487
12					505

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	br
1	6937	6824	6943	7095	7887
2	6905	6791	6911	7057	7601
3	6904	6795	6908	7051	7463
4	6810	6706	6813	6942	7334
5	6845	6748	6852	6962	7249
6	6690	6637	6711	6312	7329
7	6540	6497	6574		7129
8	6519	6482	6547		7031
9	6323	6274	6336		6964
10	6191	6201	6234		6965
11					6955
12					6973

	A	B	C	D	BR
1	777	773	1294		1325
2			1268		1143
3			1875		1489
4			1824		1442
5			1927		1541
6			920		
7			761		

Technora A 8000U-050 70mm loops:

Technora A 8000U-050:

Technora A 8000U-090:

Technora A 8000U-120:

Technora 7343-280-011:

Technora 7343-280-018:

	A	B	C	D	BR
I	4844	4747	5019		2074
II	4402	4329	4435		2159
III	4883	4904	4970		
IV		5292			

brmain 2800

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Optic-28

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	br
1	2198	2182	700	849	1784
2	2165	2149	694	837	1488
3	2623	2588	667	807	1344
4	2525	2496	621	748	1398
5	2562	2541	555	661	1311
6	1900	1823	1832	307	1394
7	953	896	746		739
8	926	876	718		638
9	1095	1044	1107		616
10	957	968	226		618
11					505
12					524

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	br
1	7218	7102	7226	7383	8225
2	7186	7069	7194	7345	7929
3	7187	7074	7192	7340	7785
4	7089	6982	7094	7228	7652
5	7127	7027	7135	7249	7565
6	6967	6911	6989	6574	7649
7	6812	6767	6847		7442
8	6789	6752	6819		7340
9	6586	6535	6599		7271
10	6448	6459	6493		7273
11					7263
12					7282

	A	B	C	D	BR
1	807	803	1342		1375
2			1317		1188
3			1945		1544
4			1893		1496
5			2000		1600
6			954		
7			789		

Technora A 8000U-050 70mm loops:

Technora A 8000U-050:

Technora A 8000U-090:

Technora A 8000U-120:

Technora 7343-280-011:

Technora 7343-280-018:

	A	B	C	D	BR
I	5045	4946	5228		2151
II	4590	4515	4625		2243
III	5091	5112	5181		
IV		5515			

brmain 2950

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)

Length of the lines

Optic-31

The tables / Tables / Tabele:

The individual lengths and type of line

La longueur et le type de chaque ligne

Długości i rodzaj poszczególnych linek

	a	b	c	d	br
1	2312	2295	737	894	1877
2	2280	2262	730	880	1566
3	2759	2722	702	849	1416
4	2657	2626	654	787	1470
5	2697	2674	584	696	1379
6	1999	1918	1928	323	1468
7	1003	943	785		778
8	974	922	755		672
9	1152	1098	1165		648
10	1007	1018	238		651
11					531
12					551

The total lengths

Longueur des suspentes

Sumaryczna długość linek

	a	b	c	d	br
1	7622	7500	7632	7796	8637
2	7590	7467	7600	7758	8326
3	7593	7475	7599	7755	8176
4	7491	7380	7497	7638	8037
5	7532	7428	7541	7661	7946
6	7364	7305	7387	6951	8034
7	7202	7154	7238		7818
8	7178	7138	7209		7711
9	6963	6909	6976		7639
10	6818	6829	6866		7642
11					7632
12					7653

	A	B	C	D	BR
1	849	845	1412		1445
2			1387		1252
3			2046		1624
4			1992		1575
5			2106		1685
6			1004		
7			830		

Technora A 8000U-050 70mm loops:

Technora A 8000U-050:

Technora A 8000U-090:

Technora A 8000U-120:

Technora 7343-280-011:

Technora 7343-280-018:

	A	B	C	D	BR
I	5335	5231	5528		2262
II	4859	4782	4896		2363
III	5389	5411	5483		
IV		5835			

brmain 3090

Total suspension lines length, measured from the lower surface of the canopy to the inside edge of the maillon (tolerancy +/- 10 mm)